

**COMPANION ANIMAL PRODUCT RANGE**



# MERIQUIN<sup>TM</sup>

## Tablets

### Composition :

Meriquin Tablets  
 Meriquin 50 mg Tablets  
 Each 50 mg tablet contains :  
 Enrofloxacin ..... 50 mg

Meriquin 150 mg Tablets  
 Each 150 mg tablet contains :  
 Enrofloxacin ..... 150 mg

### Indications :

Diseases caused by Gram-positive & Gram-negative bacteria as well as Mycoplasma & Chlamydia

### Dosage & Administration :

For Dog & Cat :  
 5 mg / kg BW orally for 5 days. In severe infections, treatment can be extended up to 7 - 10 days or as directed by Veterinarian

### Presentation :

Strip of 10 tablets  
 (50 mg & 150 mg)



# WOCEF-0.5<sup>TM</sup>

### Composition :

Composite Pack of A & B  
 A. Each vial contains :  
 Ceftriaxone Sodium I.P. eq. to Ceftriaxone ..... 0.5 g  
 B. One ampoule containing sterile water for injection I.P. .... 10 ml

### Indications :


- Respiratory tract infections
- Soft tissue infections
- Post surgical follow up
- Secondary bacterial infections

### Dosage & Administration :

Dog & Cat : 10 - 15 mg / kg BW by IM / IV route or as directed by Veterinarian

### Presentation :

500 mg vial with sterile water





Scientific Formulation for Pets

**Composition :**

Each 10 ml contains

Chelated Ferrous Glycinate .....	100 mg
Equivalent to 20 mg of iron	
Chelated Copper Glycinate .....	50 mg
Equivalent to 10 mg of copper	
Chelated Cobalt Glycinate .....	40 mg
Equivalent to 4 mg of cobalt	
Vitamin B <sub>2</sub> (Riboflavin) .....	1 mg
Vitamin B <sub>3</sub> (Nicotinic Acid) .....	5 mg
Vitamin B <sub>6</sub> (Pyridoxine) .....	0.5 mg
Vitamin B <sub>9</sub> (Folic Acid) .....	0.2 mg
Vitamin B <sub>12</sub> (Cyanocobalamin) .....	0.02 mg
Vitamin D <sub>3</sub> .....	250 IU

**Usage :**

Useful in anemic conditions like nutritional deficiency, parasitic infestations, debility & convalescence. supportive treatment for haemoprotozoan diseases

**Feeding Direction :**

**Dog :** 5 ml/20 Kg BW twice a day

**Cat :** 0.5 ml/5 kg BW twice a day

- For pups & kittens feed according to BW
- Can be given in feed or water or directly in the mouth or as directed by Veterinarian
- Use measuring cup provided



**Presentation :** 200 ml bottle



**VETOQUINOL HEALTH UP™ PRO**

**Composition :**

All Essential Amino Acids	Copper (Chelated)
Vitamin A	Taurine
Vitamin B Complex	Docosahexaenoic Acid (DHA)
Vitamin C	Eicosapentaenoic Acid (EPA)
Vitamin D <sub>3</sub>	Methylsulfonyl Methane (MSM)
Vitamin E	Bromelain
Zinc (Chelated)	With added flavours
Iron (Chelated)	

**Usage :**

To be used in Young & Adult pets in conditions like

- To increase alertness & mental development
- Growth & Development
- To increase absolute muscle mass
- For proper digestion & utilization of feed
- Use measuring cup provided

**Feeding Direction :**

Young & Adult Pets : 0.5 ml / kg BW in feed or water daily

**Presentation :**

200 ml bottle



# MERICAL<sup>®</sup> PET

## Composition :

Each Briskit contains :

Calcium ..... 350 mg  
 Phosphorus ..... 270 mg  
 Iron ..... 3 mg  
 Vitamin D<sub>3</sub> ..... 1600 I.U.  
 Vitamin B<sub>12</sub> ..... 20 mcg  
 Other Ingredients : Milk powder, Egg powder & Pure ghee

Each 20 ml contains :

Calcium ..... 350 mg  
 Phosphorus ..... 270 mg  
 Vitamin D<sub>3</sub> ..... 1600 I.U.  
 Vitamin B<sub>12</sub> ..... 20 mcg  
 Choco meat flavour

## Usage :

- To develop bones & teeth in puppies
- To prevent rickets in puppies
- To replenish calcium & phosphorus in pregnancy & lactation
- To prevent bending of bones & HIP dysplasia in dogs

## Feeding Direction :

Briskit Syrup  
 Dog : 1 - 2 briskits / day Dog : 10 - 20 ml twice a day  
 Pup & Cat : ½ briskit / day Pup & Cat : 5 ml twice a day

## Presentation :

Briskits : 50 & 100 briskits  
 Syrup : 360 ml bottle



# New SAMOLAC<sup>®</sup>

## Composition :

Vitamins	Essential Amino Acid
Essential Fatty Acid	Protein
Fibre	Carbohydrates
Minerals	Fat

## Usage :

- To meet the nutritional requirement after weaning
- To increase immunity of puppy
- For faster growth & development
- For faster recovery after disease

## Feeding Direction :

For Puppies & Kittens : Boil drinking water for 5 minutes. Leave it till lukewarm. Pour 30 ml of lukewarm water in a bowl & add 20 g of New Samolac to it & make a smooth paste. Give 4 - 5 feeds per day  
 For weak adult pet : 5 g / kg BW

## Presentation :

400 g

Green Apple  
 Vanilla Flavour



# NUTRISAM<sup>®</sup> 365

## Composition :

Minerals  
Vitamins  
Essential Fatty Acids (EFA)  
Essential Amino Acids (EAA)

## Usage :

- To overcome Mineral & Vitamin deficiencies
- To increase immunity
- For healthy skin coat
- For proper breeding & litter size
- To make homemade food nutritionally complete

## Feeding Direction :

Pup & Cat : 1 briskit Daily  
Medium sized dog : 2 briskits Daily  
Large sized dog : 4 briskits Daily  
By oral route

## Presentation :

50 & 100 briskits



# SAMFUR<sup>®</sup>

## Composition :

Each 10 g contains :

Protein .....	15%
Fat .....	6%
Fiber .....	0.9%
Calcium .....	48 mg
Iron .....	20 mg
Phosphorus .....	25 mg
Biotin .....	0.3 mg
Vitamin D <sub>3</sub> .....	33.33 mcg
Amino Acid .....	All 24

## Usage :

- Promotes hair growth
- Reduces abnormal hair fall
- Make hair coat glossy & lustrous
- Supportive in all cases of hair fall like mange infestation, dermatitis, etc.

## Feeding Direction :

Pups & Cats : 10 g daily  
Dog : 15 g daily

## Presentation :

100 g & 300 g powder



# PRAZISAM<sup>®</sup> PLUS

## Composition :

Each tablet contains :

Praziquantel .....	50 mg
Pyrantel Pamoate .....	144 mg
Fenbendazole .....	500 mg

## Indications :


- For elimination of Roundworms, Hookworms, Whipworms & Tapeworms
- Effective against hydatid worms

## Dosage & Administration :

1 tab / 10 kg BW orally in dogs

## Presentation :

30 x 2 tab / box



# Reltix<sup>™</sup>

## Composition :

Cypermethrin .....	1% w/v
Shampoo base .....	q.s.

## Indications :

For treatment of tick, fleas, lice & mites in dogs

## Directions for Use :

Wet the pet with lukewarm water. Take optimum amount of shampoo on the hand & rub it against the skin / hair coat so as to form uniform lather. Wait for 5 to 10 min. & rinse with ample amount of water

## Presentation :

200 ml bottle



# Fixotic™

## Composition :

Fipronil ..... 0.25% w/v  
Excipient ..... q.s.

## Indications :

Fixotic is effective for the prevention & control of multiple species of ectoparasites i.e. Ticks, Fleas & Lice in dogs & cats

## Directions for Use :

Bath the pet 1 day before application of fixotic. Shake it well & spray it against the direction of hair except eyes, nose & mouth from a distance of 15 cm. Let the animal be air dried. If needed massage for proper distribution

## Presentation :

100 ml & 250 ml



# SAMGLOW® P-V

## Composition :

Shampoo enriched with Protein & Vitamin E & Garden fragrance

## Usage :


- To remove everyday built up dirt & oil residues
- For healthy & shiny coat
- For long lasting glow on the coat

## Directions for Use :

Wet the pet with lukewarm water. Take optimum amount of shampoo on the hand & rub it against the skin / hair coat so as to form uniform lather. Wait for 5 to 10 min. & rinse it with ample amount of water. Dry with towel, brush & comb completely. Use regularly to remove residues, built-up oils to maintain healthy & glowing body coat

## Presentation :

185 ml bottle



# WOKAZOLE<sup>®</sup> Plus

## Composition :

Ofloxacin .....	0.1% w/v
Miconazole .....	2% w/v
Clobetasol .....	0.025% w/v
Zinc Sulphate .....	3% w/v

## Indications :

- Mixed type of infection of bacterial & fungal origin
- Multiple skin infections like pruritis, dermatitis & alopecia
- Otitis externa
- Surgical wounds, abrasion & abscess
- Pyoderma

## Dosage & Administration :

For topical use only. Clean the affected area with clean water or any disinfectant & apply the lotion twice daily

## Presentation :

Available in 30 ml & 100 ml pack



# DERMICHLOR<sup>™</sup>

Medicated spray with Deo

## Composition :

Miconazole Nitrate I.P. ....	2% w/v
Chlorhexidine Gluconate I.P. ....	2% w/v
Excipient .....	q.s.

## Indications :

Dermatitis associated with infections of Staphylococcus intermedicus, Malassezia pachydermatis, Microsporum canis, Microsporum gypseum & Trichophyton mentagrophytes in dogs

## Directions for Use :

Bath / Groom the pet before application of Dermichlor. Shake it well & spray over the infected area except eyes, nose & mouth. To obtain the best result, spray from a distance of 15 cm & against the natural lay of hairs. Let the animal be air dried

## Presentation :

100 ml

